REFERENCES

Abrams, Leroy. 1923-1960. Illustrated Flora of the Pacific States, vol. 1-4. Stanford University Press, Stanford, California.

American Ornithologists' Union (AOU), Committee on Classification and Nomenclature. 1983. Check-list of Birds. Sixth Edition. American Ornithologists' Union Allen Press, Inc., Lawrence, Kansas.

Anderson, Chauncey W. and Kurt D. Carpenter. 1998. Water quality and algal conditions in the north Umpqua river basin, Oregon, 1992-95, and implications for resource management. U.S. Department of the Interior, U.S. Geological Survey. Water Resources Investigations Report 98-4125.

Arnett, E. and J.P. Hayes. 2002. Influence of landscape characteristics on abundance and use of habitat by bat communities in the central Oregon Cascades. Cooperative Forest Ecosystem Research Program - CFER annual report. Corvallis, OR p.51-53.

Aubrey, K. B. and J. C. Lewis, 2003. Extirpation and reintroduction of fishers (Martes pennanti)in Oregon: Implication for their conservation in the Pacific states. Biological Conservation 114 (1): 79-90.

Bacon, Charles R., Eruptive history of Mount Mazama and Crater Lake caldera, Cascade Range, U.S.A., 1983, Journal of Volcanology and Geothermal Research, v. 18, p. 57-115.

Backer L.C. 2002. Cyanobacterial harmful algal blooms (cyanoHABs): developing a public health response. Lake and Reserv. Manage. 18(1):20-31.

Baldwin, C. M., Beauchamp, D. A., and Van Tassell, J. J. 2000. Bioenergetic Assessment of Temporal Food Supply and Consumption Demand by Salmonids in the Strawberry Reservoir Food Web. Transactions of the American Fisheries Society 129:429-450.

Behm D. 2003. Coroner cites algae in teen's death. Milwaukee Journal Sentinel (online). Sept. 5, 2003. http://www.jsonline.com/news/state/sep03/167645.asp>. Accessed December 11, 2003.

Beltman, B., T. Van Den Broeck, S. Bloemen and C. Witsel. 1996. Effects of Restoration Measures on Nutrient Availability in a Formerly Nutrient-Poor Floating Fen After Acidification and Eutrophication. Biological Conservation, 78, pp. 271-277. Elsevier Science Limited, Great Britain.

Betarbet, R., T. Sherer, G. MacKenzie, M. Garcia-Osuna, A. Panov, and J. Greenamyre. 2000. Chronic systemic pesticide exposure reproduces features of Parkinson's disease. Nature Neuroscience 3:12 1301-1306.

Bird, F. H. 1975. Biology of the Blue and Tui Chubs in East and Paulina Lakes, Oregon. Master's Thesis. Oregon State University, Corvallis, OR.

Bradbury, A. 1986. Rotenone and Trout Stocking, a literature review with special reference to Washington Department of Game's Lake Rehabilitation Program. Fisheries Management Report 86-2, Washington Department of Game. 181p.

Boeye, D., D. van Straaten and R. F. Verheyen. 1995. A recent transformation from poor to rich fen caused by artificial groundwater recharge. Journal of Hydrology 169, pp. 111-129. Elseviers Science Publishers, Amsterdam, the Netherlands.

Breeden, Randy W. 2003. Personal communications.

Breeden, Randy W. 2003. Lake Creek seepage study. Report for the U.S. Forest Service.

Breeden, R. 2003. Diamond Lake restoration project—Groundwater Analysis. Diamond Lake restoration project EIS analysis file.

Bryan, H. 1977. Leisure value systems and recreational specialization: The case of trout fishermen. Journal of Leisure Research 9(3), 174-187.

Burgess, C. 2001. A wave of momentum for toxic algae study. Environmental Health Perspective 109(4): 1-3.

Burgess, F.J. 1966. An evaluation of waste collection and treatment needs at Diamond Lake, Oregon. Unpublished Report, USDA Forest Service. 18 p.

Burns, Graefe and Robinson. 2002. Recreationists on the Umpqua National Forest: A Survey of User Characteristics, Behaviors and Attitudes, University of Florida and The Pennsylvania State University, October 2002.

Burns, R.C., A.R.Graefe, E. Ayres, and K. Robinson. 2004. Summer 2003 Diamond Lake Recreation Use Study: An Examination of User Characteristics, Behaviors and Attitudes, Final Report, University of Florida and the Pennsylvania State University, October 2003.

California Department of Fish and Game (CDFG) 1994. Final programmatic environmental impact report (subsequent): Rotenone use for fisheries management. Department of Fish and Game, Sacramento, CA. 334pp.

Carmichael W.W. 1994. The toxins of cyanobacteria. Scientific American 270: 78-86.

Carmichael, Wayne W. 2001. Toxin analysis of Diamond Lake water sample. Department of Biological Sciences, Wright State University, Dayton, OH.

Carpenter, S., J. Kitchell, and J. Hodgson. 1985. Cascading Trophic Interactions and Lake Productivity. Bioscience 35(10):634-639.

Center for Population Research and Census. 2002 Certified July 1, 2002 Estimates - Oregon, Its Counties and Incorporated Cities, Released December 16, 2002 http://www.upa.pdx.edu/CPRC/publications/annualorpopulation.html. Date Accessed 09/29/2003.

Chappel, Paul. Personal Communication. 2003

Chorus I, editor. 2001. Cyanotoxins: occurrence, causes, consequences. Springer-Verlag: Berlin.

Chorus, I. and J. Bartram. 1999. <u>Toxic Cyanobacteria in Water: a Guide to their Public Health Consequences</u>, Monitoring and Management. World Health Organization Report. E & F Spon, London and New York. 416p.

Christoffersen, K. 1996. Ecological implications of cyanobacterial toxins in aquatic food webs. Phycologia 35(6 supplement):42-50.

Christoffersen, K., B. Riemann, A. Klysner, and M. Søndergaard. 1993. Potential role of fish predation and natural populations of zooplankton in structuring a plankton community in eutrophic lake water. Limnology and Oceanography 38(3): 561-573.

Cody, R., Smith, J. 1997. Applied Statistics and the SAS® Programming Language. 4th ed. Upper Saddle River, NJ: Prentice Hall. 445 p.

Cooke, G.D., E.B. Welch, S.A. Peterson, and P.R. Newroth. 1993. Restoration and Management of Lakes and Reservoirs. Lewis Publishers. Boca Raton, FL. 548 pp.

Corkran, C.C. and C.R. Thoms. 1996. Amphibians of Oregon, Washington and British Columbia: A field identification guide. Lone Pine Publishing, Renton, WA. 174pp.

Crum, Howard. 1988. A Focus on Peatlands and Peat Mosses. University of Michigan Press, Ann Arbor, Michigan.

Creekmore, L.H. 2001. Algal Toxins *in* <u>Field Manuel of Wildlife Diseases: General Field</u> <u>Procedures and Diseases of Birds, M. Friend and J.C. Franson, eds. Information and technology report 1999-001.</u>

Cristy, R.E. and S.D. West. 1993. Biology of bats in Douglas-fir forests. USDA Forest Service Gen. Tech. Rep. PNW-GTR-308. 27pp.

Cross, S.P., H. Lauchstedt and C. Harmes. 1996. Characterizing forest roost sites of some bats of special concern occurring in Roseburg and Medford BLM Districts. Final Report - Department of Biology. Southern Oregon State College, Ashland, OR. 47pp.

Davis G., and G. Larson. 1976. Sediment Characteristics and the Trophic Status of Four Oregon Lakes. WRRI-46. Water Resources Research Institute, Oregon State University, Corvallis, OR. 56p.

Dawidowicz, P. 1990. Effectiveness of phytoplankton control by large-bodied and small-bodied zooplankton. Hydrobiologia 200/201: 43-47.

Dawson, V.K., W.H. Gingrich, R. A. Davis, & P. A. Gilderhus, 1991, Rotenone Persistence in Fresh Water Ponds; Effects of Temperature and Sediment Adsorption, North American Journal of Fisheries Management, 11: 226-231.

de Bernardi, R. and G. Giussani. 1990. Are blue-green algae a suitable food for zooplankton? An overview. Hydrobiologia 200/201:29-41.

Declerck, S., L. De Meester, N. Podoor, and J.M. conde-Porcuna. 1997. The relevance of size efficiency to biomanipulation theory: a field test under hypertrophic conditions. Hydrobiologia 360: 265-275.

David, Evans, and Associates (DEA) 1998. Diamond Lake and Lemolo Lake Watersheds: Recreation Assessment and Analysis. Portland, Oregon. 90 pp.

Davis, Raymond J. 2003. Personal Communication, 09-09-2003, Wolverines.

Dean Runyan Associates. 2002. Oregon Travel Impacts, 1991-2001. Detailed County Estimates. Report prepared for the Oregon Tourism Commission. 79 p.

Douglas County 2020 Comprehensive Plan. 2002. Available WWW: http://www.douglas.co.us/planning/comp plan/2020_comp.htm

Dowlan, S. 1996. The breeding status and distribution of Harlequin Ducks in Oregon: a summary of observations and survey efforts. Oregon Birds 22:42-47.

Drenner, R.W., J.D. Smith, S.T. Threlkeld. 1996. Lake trophic state and the limnological effects of omnivorous fish. Hydrobiologia (319):213-223.

Duncan, N. 2004. Proposal for exemption from management for *Pristiloma articum crateris* for the Diamond Lake Restoration Project. USDI, Bureau of Land Management, Roseburg, Oregon. February 6, 2004.

Eilers, J. M. 2004. An Ecologically-Based Index for Guiding Salmonid-Stocking Decisions in Diamond Lake, Oregon, Revised 2004. Prepared for the Oregon Department of Fish & Wildlife Roseburg, Oregon. *In Press*.

Eilers, J. M. Personal Communication, 2004. Lava Lake, preliminary data.

Eilers, J. M. Personal Communication, 2003.

Eilers, J.M. 2003a. An ecologically-based index for guiding salmonid-stocking decisions in Diamond Lake, Oregon. Report prepared for the Oregon Department of Fish and Wildlife. 29p.

Eilers, J.M. 2003b. Stream temperature monitoring - Silent creek temperature data.

Eilers, J. M. 2003c. Benthic Macroinvertebrates of Diamond Lake, Oregon. A report prepared for the Oregon Department of Fish and Wildlife. December, 2003.

Eilers, J. M. 2003d. Hydroacoustic Investigations of Diamond Lake, Spring 2003. A report prepared for the Oregon Department of Fish and Wildlife.

Eilers, J.M. 2003e. Water Quality Monitoring of Diamond Lake for 2003. J.C. Headwaters, Inc. Report for the USDA Forest Service, Umpqua National Forest, Roseburg, Oregon. 70p.

Eilers, J.M. 2001a. Diamond Lake Nutrient Loading, an Assessment of the Relative Sources of Nitrogen and Phosphorus, With Reference to Loading from Septic Systems. Report for the Umpqua National Forest, Roseburg, Oregon. 7p.

Eilers, J.M. 2001b. Selected water quality data for above and below the PacifiCorp hydropower project including Lake Creek.

Eilers, J.M, Eilers, B.J. and J. Kann. 2003. TMDL Modeling and Analysis of Diamond Lake, Oregon. Report prepared for the Oregon Department of Environmental Quality, Eugene, Oregon. 103p.

Eilers, J.M and C.P. Gubala. 2003. Hydroacoustic analysis of Diamond Lake. Report prepared for the Oregon Wildlife Heritage Foundation and the Oregon Department of Fish and Wildlife. 22p.

Eilers, J.M and J. Kann. 2002. Diamond Lake database 2001. Report prepared for the Umpqua National Forest, Roseburg, Oregon. 47p.

Eilers, J.M., J. Beaver, A. St. Amand, and J. Cornett. 2001a. Historical changes of zooplankton and cyanobacteria in Diamond Lake, Oregon based on analysis of the sediment record. Report to the Oregon Department of Fish & Wildlife. Roseburg, Oregon. 22 pp.

Eilers, J.M., C. P. Gubala, P.R. Sweets, and D. Hanson. 2001b. Effects of fisheries management and lakeshore development on water quality in Diamond Lake, Oregon. *J. Lake and Reservoir Mgmt*. 17:29-47.

Eilers, J. M. and R. Raymond. 2001c. North Umpqua River water quality and paleolimnological analysis. Report to PacifiCorp, Portland, OR. J.C. Headwaters, Inc.

Eilers, J.M., C.P. Gubala, P.R. Sweets, D. Hanson. 1997. Recent Paleolimnology of Diamond Lake, Oregon. Report for the Umpqua National Forest. 63p.

Epp, G. 1996. Grazing on filamentous cyanobacteria by *Daphnia pulicaria*. Limnology and Oceanography 41(3):560-567.

ExToxNet. 1996. Rotenone Pesticide Information Profile. Extension Toxicology Network.

Falconer 1993. Measurements of toxins from blue-green algae in water and foodstuffs. P. 165-175. In: I.R. Falconer (ed). Algal Toxins in Seafood and Drinking Water. Academic Press, London.

Falconer, I.R. 1996. Potential impact on human health of toxic cyanobacteria. Phycologia 35(6 Supplement):6-11.

Falconer, I.R., A. M. Beresford, and M. T. C. Runnegar. 1988. Oral toxicity of a bloom of the cyanobacteria *Microcystis* aeruginosa. Med, J. Aust. 1:511-514.

Farrell, Terry. 2003. Personal Communication, 10-07-2003. Bats.

Federal Register 2003. USDI Fish and Wildlife Service. Endangered and threatened wildlife and plants: 90-day finding for a petition to list as endangered or threatened wolverine in the contiguous United States. Vol.68. No. 203. October 21,2003. 60112-60115.

Federal Register 2003. USDI Fish and Wildlife Service. Endangered and threatened wildlife and plants: 90-day finding for a petition to list a distinct population segment of the fisher in its west coast range as endangered and to designate critical habitat. Vol.68. No. 132. July 10, 2003. 41169-41174.

Fies, Ted. Personal Communication, 2003.

Finlayson, B. J., Personal Communication, August 2003.

Finlayson, B.J.,R.A. Schnick, R.L. Cailteux, L.DeMong, W.D.Horton, W.McCay, C.W. Thompson, and G.J. Tichacek. 2000. <u>Rotenone use in fisheries management:</u> <u>administrative and technical guidelines manual</u>. American Fisheries Society, Bethesda, Maryland. 200p.

Finlayson, B.J., S. Siepman, and J. Trumbo. 2001. Chemical residues in surface and ground waters following rotenone applications in California lakes and streams. Pages 37-54 *in* R.L. Cailteux, R.L. DeMong, Finlayson, B.J., W.D. Horton, W. McClay, R.A. Schnick, C.W. Thompson. Rotenone in fisheries science: are the rewards worth the risks? American Fisheries Society, Trends in Fisheries Science and Management 1, Bethesda Maryland.

Fix, D. 1990. Birds of Diamond Lake Ranger District. Unpubl. manuscript.

Freeze, R.A. and J. A. Cherry. 1979. *Ground Water*, Prentice-Hall Inc., Englewood, New Jersey.

Forsman, E.D., E.C. Meslow and H.M. Wight. 1984. Distribution and biology of the spotted owl in Oregon. Wildlife Monographs 87. 64 pp.

Friday, John. 1972. Crest-stage gaging stations in Oregon; A compilation of peak data collected from October 1952 to September 1972. U.S. Geological Survey; In cooperation with Oregon State Highway Commission, U.S. Forest Service, Luv sherri, Federal Highway Administration, and Bureau of Land Management. Open-File Report October 1972.

Galbraith, M. G. 1967. Size-selection predation of Daphnia by rainbow trout and yellow perch. Transactions of the American Fisheries Society 96:1-10.

Gannet, M.W., K.E. Lite, D.S. Morgan, & C.A. Collins. 2001. Ground Water Hydrology of the Upper Deschutes Basin, Oregon: U.S. Geological Survey Water Resources Investigation Report 00-4262.

Gilbert, J. and M. Durand. 1990. Effects of *Anabaena flos-aquae* on the abilities of Daphnia and Keratella to feed and reproduce on unicellular algae. Freshwater Biology 24:577-596.

Gilderhus, P.A., J.L. Allen, and V.K. Dawson. 1986. Persistence of Rotenone in Ponds of Different Temperatures. North American Journal of Fisheries Management 6:129-130.

Gliwicz, Z. 1990. Why do cladocerans fail to control algal blooms? Hydrobiologia 200/201:83-97.

Gomez, D.M. and R.G. Anthony. 1998. Small mammal abundance in riparian and upland areas of five seral stages in western Oregon. Northwest Sci. 72:293-302.

Government of Alberta. 2003. Blue green algal toxicity. Available at WWW: http://www3.gov.ab.ca/env/water/swq/brochures/algaltoxicity.html.

Grant, G. 2002. Geology as destiny - cold waters run deep in western Oregon: Science Findings, Pacific Northwest Research Station, Issue No. 49, 5 p.

Graham, K. 2003. Diamond Lake sick with algae. The Oregonian. July 21, 2003.

Greenamyre, J.T., R. Betarbet, and T.B. Sherer. 2003. The rotenone model of Parkinson's disease: genes, environment and mitochondria. Parkinsonism & Related Disorders. August. Volume 9. Supplement 2: 59-64.

Harr, D. R. and B. A. Coffin. 1992. Influence of Timber Harvest on Rain-On-Snow Runoff: A Mechanism for Cumulative Watershed Effects. Interdisciplinary Approaches in Hydrology and Hydrogeology, American Institute of Hydrology, Pp 455-469.

Hayes, Dr. John 2003. Personal Communication, 10-27-2003. Bats.

Hayes, M. P. 1996. Assessment of the sensitive amphibian and reptile fauna of the proposed Squaw Flat Research Natural Area. Final report prepared for the Umpqua National Forest

under subcontract to Resources Northwest, Inc., PO Box 675, Kirkland, Washington 98083-0675. 21 pp. + appendices.

Hayes, M.P. 1997. Assessment of the aquatic amphibian and reptile fauna of Diamond Lake. Final report prepared for the: Oregon Department of Fish and Wildlife, Roseburg, OR. 19pp.

Hayes, M.P. 1998. Assessment of the aquatic amphibian and reptile fauna of Lake Creek between Diamond Lake and Lemolo Reservoir. Final report of a study prepared for the Oregon Department of Fish and Wildlife, Roseburg, OR. 27pp.

Hayes, M.P. 2003. Personal Communication, 09-08-2003. Spotted Frogs and Western Pond Turtles.

Head, R.M., R.I. Jones, A.E. Bailey-Watts. 1999. An Assessment of the influence of recruitment from the sediment on the development of planktonic populations of cyanobacteria in a temperate mesotrophic lake. Freshwater Biology 41:759-769.

Heinemeyer, K.S. and J.L. Jones. 1994. Fisher biology and management in the western United States. USDA Forest Service and Interagency Forest Carnivore Working Group Report. 109pp.

Helliwell, R., A. Hardman, C. Emerson, and G. Dour. 2003. Aquatic macrophyte inventory of Diamond Lake. Unpublished report, Umpqua National Forest, Roseburg, OR.

Hem, John D. 1992. Study and interpretation of the chemical characteristics of natural water. U.S. Geological Survey Water-Supple Paper 2245, third edition. Pp122-128.

Hofford, Steve. 2003. Personal Communication.

Hofford, Steve. 2003. Personal Communication, 10-29-2003. Hydrology of Pit Lakes and Long Marsh.

Hofford, S. 2003. Diamond Lake restoration project—Hydrology and water quality analysis. Diamond Lake restoration project EIS analysis file.

Horne, A.J. and C.R. Goldman. 1994. Limnology, second edition. McGraw-Hill Inc. publisher. 576 p.

Huff, R. 2004. Proceedings of the 02-17-04 meeting of the Interagency Survey and Manage Group.

Hughes, D.R. 1970. Lake Creek water quality monitoring station. Unpublished Progress Report. USDA Forest Service, Umpqua National Forest, Roseburg, OR. 13 p.

Hunter, M.G. 1998. Watershed-level patterns among stream amphibians in the Blue River watershed, West-Central Cascades of Oregon. Masters Thesis, Oregon State Univ., Corvallis, OR. 97pp.

Ingebritsen. S.E., R.H. Mariner, and D.R. Sherrod. 1994. Hydrothermal systems of the Cascade Range, north-central Oregon: U.S. Geological Survey Professional Paper 1044-L, 86 p.

Isaacs, Frank. 2003. Personal Communication, 09-05-2003, Bald Eagles.

Integrated Risk Information System (IRIS). 2003. Rotenone (CASRN 83-79-3). United States Environmental Protection Agency. www.epa.gov/iris.

Jackson, L.S. and D.W. Loomis. 2004. Population model predictions for tui chub removal at Diamond Lake. Oregon Department of Fish and Wildlife, Roseburg, Oregon. 15p.

Jansen, Andre J. M., Fons Th. W. Eysink, Cees Maas. 2001. Hydrological processes in a Cirsio-Molinietum fen meadow: Implications for restoration. Ecological Engineering, 17, pp. 3-20. Elsevier Science, Amsterdam, the Netherlands.

JC Headwaters, Inc. 2003. Diamond Lake Oregon access database.

Jones, J.I. and C.D. Sayer. 2003. Does the fish-invertebrate-periphyton cascade precipitate plant loss in shallow lakes. Ecology 84(8): 2155-2167.

Johnson A. 2003. Report prepared for the Diamond Lake Restoration EIS on Lake Ecology.

Johnson, Daniel M., Richard R. Peterson, D. Richard Lycan, James W. Sweet, and Mark E. Neuhaus. 1985. <u>Atlas of Oregon Lakes</u>. Portland State University in cooperation with Andrew L. Schaedel, Oregon Department of Environmental Quality. Oregon State University Press, Corvallis, Oregon.

Johnson, R.L., E.M. Gross, and N.G. Hairston, Jr. 1998. Decline of the invasive macrophyte Myriophyllum spicatum (Haloragaceae) associated with herbivory by larvae of Acentria ephemerella (Lepidoptera). Aquatic Ecology 31:273-282

Kaiser, J.L. 2004. Memo on Supplemental feeding program for bald eagles at Hyatt Reservoir, Oregon. U.S. Geological Survey. August 9, 2004.

Kann, J. 2003. Diamond Lake restoration project—Human Risk Assessment of taking No Action. Diamond Lake restoration project EIS analysis file.

Kemmers, R. H. and P. C. Jansen. 1988. Hydrochemistry of Rich Fen and Water Management. Agricultural Water Management, 14, 399-412. Elsevier Science Publishers, Amsterdam.

Klotz, R.L. and S.A. Linn. 2001. Influence of factors associated with water level draw down on phosphorus release from sediments. Lake and Reservoir Management 17(1):48-54.

Koch, S. 2003 (14 January). Letter to James Caplan, Forest Supervisor, Umpqua National Forest. President, Diamond Lake Improvement Company, Inc. On file with: Umpqua National Forest, 2900 Stewart Parkway Roseburg, OR 97470.

Konecny, L. L. 2003 (23 October). Personal communication. CPA, Wicks Emmett Hatfield & Chappell. On file with: Umpqua National Forest, 2900 Stewart Parkway Roseburg, OR 97470.

Lam A, Prepas E, Spink D, Hrudey S. 1995. Chemical control of hepatotoxic phytoplankton blooms: implications for human health. Wat Res 29:1845-1854.

Lampert, W. and U. Sommer. 1997. Limnoecology: The Ecology of Lakes and Streams. Translated by J.F. Haney. Oxford University Press, New York. 383p.

Lauer, W., G. Schuytema, W. Sanville, F. Stay, C. Powers. 1979. The effects of nutrient loading on the limnology of Diamond lake, Oregon. U.S. Environmental Protection Agency EPA-600/8-79-017a, Corvallis Environmental Research Laboratory, Corvallis, Oregon. 59 p.

Leopold, Luna B. 1994. <u>A view of the river</u>. Harvard University Press, Cambridge, MA. Chapter 5, p90.

Liss, W. J., G. L. Larson, E. K. Deimling, R. Greswell, R. Hoffman, M. Kiss, G. Lomnicky, C. D. McIntire, R. Truitt, and T. Tyler. 1995. Ecological effects of stocked fish on naturally fishless high mountain lakes: North Cascades National Park Service Complex, WA, USA. National Park Service, Draft Final Report, Phase I (1989-1992), Washington, D.C. 165 pp + appendices.

Locke, F. E. 1947. A preliminary report on the Diamond Lake study. Oregon State Game Commission.

Leonard, W.P., H.A. Brown, L.L.C. Jones, K.R. McAllister and R.M. Storm. 1993. Amphibians of Washington and Oregon. Seattle Audubon Society, Seattle, WA. 168 pp.

Lodge, D.M., M.W. Kershner, and J.E. Aloi. 1994. Effects of an omnivorous crayfish (Orconectes rusticus) on a freshwater littoral food web. Ecology 75(5): 1265-1281

Loomis, D. W., Personal Communication, 2003.

Loomis, D. W., 2003. Personal Communication, 10-27-2003. Wildlife and gil netting.

Loomis, D. 2002. Historical Diamond Lake benthic production sampling and results. Draft memorandum, Oregon Department of Fish and Wildlife, Umpqua Watershed District, Roseburg, OR.

Luecke, C. 1986. Ontogenetic changes in feeding habits of juvenile cutthroat trout. Transactions of the American Fisheries Society 115:703-710.

Lundsten and Popper. 2002. Breeding Ecology of Yellow Rails at Fourmile Creek, Wood River Wetland, Mares Egg Spring, and additional areas in southern Oregon, 2001. Report submitted to the Bureau of Land Management. Klamath Falls, Oregon. 33pp.

Lynch, M. and J. Shapiro. 1981. Predation, enrichment, and phytoplankton community structure. Limnology and Oceanography 26(1):86-102.

MacDonald, L. H., A. W. Smart, and R. C. Wissmar. 1991. Monitoring Guidelines To Evaluate Effects of Forestry Activities on Streams in the Pacific Northwest and Alaska. Region 10, U. S. Environmental Protection Agency, Seattle, WA with Center for Streamside Studies, AR-10, College of Forest and College of Ocean and Fishery Sciences, University of WA, Seattle, WA. EPA 910/9-91-001.

Maertz, Ron. 2003. Personal Communication, 10-23-2003, Buffleheads and Osprey.

Mandaville, S.M. 1997. Limnological terms, definitions, acronyms, and concepts. Soil and Water Conservation Society of Metro Halifax. Available WWW: http://lakes.chebucto.or/glossary.html.

Mangum, F. A. and J. L. Madrigal. 1999. Rotenone effects on aquatic macroinvertebrates of the Strawberry River, Utah: A five year summary. Journal of Freshwater Ecology, Vol. 14, Number 1, March 1999.

Marshall, D.B., M.G. Hunter and A.L. Contreras, Eds. 2003. Birds of Oregon: A general reference. Oregon State University Press, Corvallis, OR. 768pp.

Martin, T.H., L.B. Crowder, C.F. Dumas, and J.M. Burkholder. 1992. Indirect effects of fish on macrophytes in Bays Mountain Lake: evidence for a littoral trophic cascade. Oecologia 89: 476-481.

Maxell, B.A. and D.G. Hokit. 1999. Amphibians and reptiles. Pages 2.1-2.29 *in* G. Joslin and H. Youmans, coordinators. Effects of recreation on Rocky Mountain wildlife: A review for Montana. Committee on Effects of recreation on wildlife, Montana Chapter of the Wildlife Society. 307pp.

McAuliffe 1996. Correspondence to ODFW, September, 1996.

McHugh, R. A. 1972. An interim study of some physical, chemical and biological properties of selected Oregon lakes. Oregon State Department of Environmental Quality.

McNamara, J. P., D. I. Siegel, P. H. Glasser and R. M. Beck. 1992. Hydrogeologic controls on peatland development in the Malloryville Wetland, New York (USA). Journal of Hydrology, 140, pp. 279-296. Elseviers Science Publishers, Amsterdam, the Netherlands.

Megargle, D. J. and D. Teuscher. 2001. Idaho Department of Fish and Game Report Number 01-49, Project 4: Hatchery Trout Evaluations.

Meronek, T.G, P.M. Bouchard, E.R. Buckner, T.M. Burri, K.K. Demmerly, D.C. Hatleli, R.A. Klumb, S.H. Schmidt, and D.W. Coble. 1996. A review of fish control projects. North American Journal of Fisheries Management 16:63-74.

Meyerhoff, R.D., G.L. Larson, and G.E. Davis. 1978. Sediment characteristics of three mountain lakes with different trophic statuses. Arch. Hydrobiol. 81(4):397-421.

Miller, W.E., T.E. Maloney and J.C. Green. 1974. Algal productivity in 49 lake waters as determined by algal bioassays. Water Resources 8:667-679.

Minnesota Implan Group, INC. 1999. IMPLAN Professional™. Version 2.0. Stillwater, MN.

Minnesota Implan Group, INC. 2003. IMPLAN™ Data Files. Stillwater, MN.

Mitch, J. Wouldiam and James G. Gosselink. 1993. Wetlands, 2nd Edition. Van Nostrand Reinhold, New York, New York.

Murray Regional Coordinating Committee (MRACC). 2003. Blue-green algal bloom management. NSW Murray Regional Algal Coordinating Committee. Available at WWW: http://www.murraybluegreenalgae.com/detailed_biology.htm

Nielsen, L.A. and D.L. Johnson. 1989. <u>Fisheries Techniques.</u> American Fisheries Society, Bethesda, Maryland. 468p.

Northcote, T. G. 1988. Fish in the structure and function of freshwater ecosystems: a top-down view. Canadian Journal of Fisheries and Aquatic Sciences 45:376-393.

NSW Department of Land and Resource Conservation. 2000. NSW Algal Information: What problems are caused by blue-green algae. Available at WWW: http://www.dlwc.nsw.gov.au/care/water/bga/problems.html.

Nussbaum, R. A., E. D. Brodie, Jr. and R. M. Storm. 1983. Amphibians and reptiles of the Pacific Northwest. Univ. Press of Idaho. 332pp.

O'Brien, J.W. 1979. The predator-prey interaction of planktivorous fish and zooplankton. American Scientist 67:572-581

O'Farrell, M.J. and E.H. Studier. 1980. Myotis thysanodes. Mammalian Species 137:1-5.

Oregon Administrative Rules Compilation. 2003. Oregon Secretary of State, Salem, Oregon.

Oregon Department of Environmental Quality. 1994. Oregon's 1994 water quality status assessment report, 305(b). Report submitted to the U.S. Environmental Protection Agency. State of Oregon, Portland, Oregon.

Oregon Department of Environmental Quality. 1998. 303(d) list of water quality limited waterbodies. State of Oregon, Portland, Oregon.

Oregon Department of Environmental Quality. 2002. North Umpqua hydroelectric project (FERC No. 1927), evaluation report and findings. Federal Clean Water Act Section 401, Application for Water Quality Certification.

Oregon Department of Fish and Wildlife, 1996. Diamond Lake fish management issues. August 1996. 44p.

Oregon Department of Fish and Wildlife. 2002. Diamond Lake R&E project questions. Umpqua Watershed District Intradepartment Memorandum. March 13, 2002.

Oregon Department of Fish and Wildlife, 2003. Angler Day Projections, October, 2003.

Oregon Department of Fish and Wildlife, 2004. Memo: Revised rotenone plan, July 23, 2004.

Oregon Department of Fish and Wildlife Commission. 1990. Fish Management Plan for Diamond Lake. Adopted October 10, 1990. 6p.

Ormsbee, Pat. 2003. Personal Communication, 10-17-2003. Bats

PacificCorp. 1995. Application for New License for Major Modified Project; North Umpqua Hydroelectric Project. FERC Project No. 1927. Douglas County, Oregon. Portland Oregon. January.

Parker, Alice. 2003. Personal Communication, 10-13-2003. Osprey.

Parker, Alice. 2003. Personal Communication, 10-29-2003. Waterfowl.

Peck, Dallas L., Allan B. Griggs, Herbert G. Schlicker, Francis G. Wells, and Hollis M. Dole. 1964. Geology of the central and northern parts of the western Cascade Range in Oregon: U.S. Dept. Interior, Geological Survey Professional Paper 449, 56 p.

Pettersson, Kurt. 1998. Mechanisms for internal loading of phosphorus in lakes. Hydrobiologia 373/374:21-25.

PIF. 2000. Landbird conservation plan: Westside coniferous forests. Partners in Flight. http://community.gorge.net/natres/pif/westside_page1.html

Popper, Ken. 2003. Personal Communication, 10-06-2003. Yellow Rails.

Popper, K. and M. Stern. 1996. Breeding ecology of yellow rails at Jack Spring, Mares Egg Spring, Klamath County, Oregon 1995-1996. A report submitted to: Winema National Forest, Klamath Falls Resource Area, and Oregon Department of Fish and Wildlife. Oregon Natural Heritage Program. Portland, OR. 82pp.

Post, J.R. and D.J. McQueen. 1987. The impact of planktivorous fish on the structure of a plankton community. Freshwater Biology 17:79-89.

Priest, G. R., Woller N. M., G. L. Black, and S. H. Evans. 1983. Overview of the geology of the central Oregon Cascade Range: in; George R. Priest and Beverly F. Vogt, eds., Geology and geothermal resources of the central Oregon Cascade Range, State of Oregon, Dept. of Geology and Mineral Industries, Special Paper 15, p. 1-28

Prejs, A., J. Pijanowska, P. Koperski, and A. Martyniak. 1997. Food-web manipulations in a small, eutrophic Lake Wirbel, Poland: long-term changes in fish biomass and basic measures of water quality. A case study. Hydrobiologia 342/343: 383-386.

Prentiss Incorporated. 2000a. MSDS—Material Safety Data Sheet for Cube Powder fish Toxicant. Product 655-806.

Prentiss Incorporated. 2000b. MSDS—Material Safety Data Sheet for Noxfish Fish Toxicant. Product 655-805.

Richardson W. 1992. Micro-crustaceans in flowing water: experimental analysis of washout times and a field test. Freshwater Biology 28:217-30.

Reynolds, C.S. 1994. The ecological basis for the successful biomanipulation of aquatic communities. Arch. Hydrobiol. 130(1): 1-33.

Rockholt, R. 2003. Personal communication. Diamond Lake Resort Public Relations Director.

Rosgen, D. 1996. Applied River Morphology. Wildland Hydrology. Pagosa Springs, Colorado.

Rotenone Stewardship Program. 2001. Relationship between rotenone use in fisheries management and Parkinson's disease. Available at WWW: http://www.fisheries.org/rotenone/parkinsonstudy.shtml.

Royce, W.F. 1984. <u>Introduction to the practice of fishery science.</u> Academic Press, Inc., San Diego, California. 428p.

Ruggiero, L.F., K.B. Aubry, S. Buskirk, L. Lyon and W. Zielinski, eds. 1994. American marten, fisher, lynx and wolverine in the western United States. GTR RM-254. 184pp.

Salinas, J.T. and D.W. Larson. 1995. Diamond Lake Umpqua National Forest, limnological and bacteriological investigations: 1992-1994. Final Report, CAS-9501.

Salinas, J. 1995-2002. Cascade Research Group, unpublished data.

Salinas, J. 1998. A Cascades lakes limnological survey, summer, 1996 - 1997. Report CAS-9801, Rogue River Community College, Grants Pass, OR.

Salinas, John. 2001. A cascade lakes limnological survey in the Umpqua and Winema national forests 2000. Rogue Community College, Grants Pass, OR. Report CAS-0101.

Salinas, John. 2003. A limnological survey of Diamond Lake in southern Oregon 2002. . Rogue Community College, Grants Pass, OR, for the Oregon Department of Environmental Quality and Umpqua National Forest. Final Report CAS-0201.

Sarnelle, O. 1993. Herbivore effects on phytoplankton succession in a eutrophic lake. Ecological Monographs 63(2): 129-149.

Sanni, Steinar, and S.B. Wærvågen. 1990. Oligotrophication as a result of planktivorous fish removal with rotenone in the small, eutrophic, Lake Mosvatn, Norway. Hydrobiologia 200/201:263-274.

Sanville, W.D. and C.F. Powers. 1971. Diamond Lake studies - 1971. Progress report No. 1. Working paper No. 8. U.S. Environmental Protection Agency. 22p.

Schneidervin, R. W. and W. A. Hubert. 1987. Diet overlap among zooplanktophagous fishes in flaming gorge reservoir, Wyoming-Utah. North American Journal of Fisheries Management 7:379-385.

Shapiro, J., V. Lamarra and M. Lynch. 1975. Biomanipulation: An ecosystem approach to lake restoration. *In*: P. Brezonik and J. Fox (eds.). Water Quality Management through Biological Control. Report No. ENV-07-75-1. University of Florida, Gainesville, FL.

Sherrod, D.R. 1995. Letter to Paul Uncapher, Geologist, Umpqua National Forest, Supervisor's Office.

Sherrod, D. R. 1991. Geologic map of part of the Cascade Range between latitudes 43⁰ - 44⁰, central Oregon: U.S. Department Interior, Geological Survey Miscellaneous Investigation Series I-1891, 14 p., pl., 1:125,000

Shiozawa N. 1986. The seasonal community structure and drift of micro-crustaceans in Valley Creek, MN. Canadian Journal of Zoology 64:1655-64.

Smith, V. and S. Bennett. 1999. Nitrogen:phosphorus supply ratios and phytoplankton community structure in lakes. Arch. Hydrobiol. 146(1):37-53.

Stern, M. A., Morawski, J. F., and G. A. Rosenberg. 1993. Rediscovery and status of a disjunct population of breeding yellow rails in southern Oregon. Condor 95:1024-1027.

Stone, J. 2003. Personal communication. Recreation Staff, Umpqua National Forest.

Street, Craig. Personal communication. May, 2003.

Survey protocol for the Red Tree Vole, V. 2.1., 2001.

The Research Group. 1991a Oregon Angler Survey and Economic Study. Final Report. Prepared for Oregon Department of Fish and Wildlife. 41 p.

The Research Group. 1991b Oregon Angler Survey and Economic Study. Technical Supplement. Prepared for Oregon Department of Fish and Wildlife. [Irregular pagination]

Thompson, J. R., R. Goggans, P. Greenlee, and S. Dowlan. 1993. Abundance, distribution and habitat associations of the harlequin duck in the Cascades Mountains, Oregon, Unpublished. A cooperative report prepared for: Oregon Department of Fish and Wildlife, Willamette National Forest, Mt. Hood National Forest, and Bureau of Land management, Salem District.

Turbak, G. 1999. The bizarre life of the Harlequin Duck. National Wildlife Federation web site article - http://www.nwf.org/natlwild/quinduck.html. 7p.

Umpqua Valley Audubon Society. 2003. Unpublished bird survey results 1996-2002. Survey forms on file at the Diamond Lake Ranger District, Toketee, OR.

U.S. Bureau of Economic Analysis. 2003a. Background information on Tourism Satellite Accounts. http://www.bea.doc.gov/bea/newrel/tourbackground.htm

U.S. Bureau of Economic Analysis. 2003b. Regional Econonic Accounts. Local Area Personal Income. http://www.bea.doc.gov/bea/regional/reis/default.cfm

US Census, 2000. Census 2000. http://www.econ.state.or.us

USDA, Forest Service. 1970. Diamond Lake recreation management composite plan. Unpublished report, USDA Forest Service.

USDA Forest Service 1976. Soil Resource Inventory for Umpqua National Forest. Pacific Northwest Region. Umpqua National Forest, Roseburg, OR.

USDA Forest Service. 1990. Umpqua National Forest land and resource management plan. Pacific Northwest Region. Umpqua National Forest, Roseburg, OR.

USDA. 1998. Diamond Lake and Lemolo Lake Watershed Analysis. Diamond Lake Ranger District, Umpqua National Forest.

USDA Forest Service. 2000. Landbird strategic plan. Washington, DC. 21pp.

USDA, Forest Service. 2001. Middle North Umpqua Watershed Analysis. Umpqua National Forest.

USDA Forest Service. 2001. North Umpqua River Watershed Analysis. V. 2.0 USDA Forest Service, Umpqua National Forest, Roseburg, OR. 88pp.
USDA, Forest Service. 2002. Umpqua National Forest National Visitor Use Monitoring Data Set.

USDA Forest Service - Umpqua National Forest. 2003. Lemolo watershed projects supplemental draft environmental impact statement. Diamond Lake Ranger District. Pp139-143.

USDA Forest Service - Umpqua National Forest. 2003. Umpqua National Forest Roads Analysis.

USDA, Natural Resource Conservation Service. 2003. Historical database on web site; http://www.wcc.nrcs.usda.gov/snow/

USDA/USDI, 1994. Record of Decision for Amendments to Forest Service and Bureau of Land Management Planning Documents Within the Range of the Northern Spotted Owl and it's Amendments.

USDA Forest Service, USDI Bureau of Land Management. 1994. Record of decision for amendments to Forest Service and Bureau of Land Management planning documents within the range of the northern spotted owl, Portland, Oregon.

USDA Forest Service, USDI Bureau of Land Management. 1994. Final supplemental environmental impact statement on management of habitat for late-successional and old-growth forest related species within the range of the northern spotted owl, Appendix J2 - Results of additional species analysis. Portland, Oregon. 475pp.

USDA Forest Service, USDI Bureau of Land Management. 1995. (Revised 1997). Great gray owl survey protocol. Portland, OR. 26pp.

USDA Forest Service, USDI Bureau of Land Management. 1999. Management *recommendations* for Pristiloma articum crateris, Crater Lake Tightcoil. Section 13, pages 1-13 in Management recommendations for survey and manage terrestrial mollusks. Version 2.0. Portland, Oregon.

USDA Forest Service, USDI Bureau of Land Management. 2001. Record of decision for amendments to the survey and manage, protection buffer and other mitigation measures standards and guidelines. Portland, Oregon. 86pp.

USDA Forest Service, USDI Bureau of Land Management. 2002. Survey protocol for the red tree vole(*Arborimus longicaudus*). V. 2.1. Portland, Oregon. 19pp.

USDA Forest Service, USDI Bureau of Land Management. 2003a. Survey protocol for survey and manage terrestrial mollusk species from the Northwest Forest Plan. V.3.0. Portland, Oregon. 70pp.

USDA Forest Service, USDI Bureau of Land Management. 2003b. Implementation of 2002 Survey and Manage Annual Species Review. USDA Forest Service memorandum, BLM Instruction Memorandum OR-2003-050.

USDI Fish and Wildlife Service. 1986. Recovery Plan for the Pacific Bald Eagle. U. S. Fish and Wildlife Service, Portland, Oregon. 160 pp.

USDI Fish and Wildlife Service. 1995. Recovery plan for the Mexican spotted owl (*Strix occidentalis lucida*). Vol. 1. Albuquerque, NM. 172pp.

USDI Fish and Wildlife Service. 2003. Formal and informal consultation on Fiscal Years 2003-2007 projects within the Umpqua National Forest that may disturb northern spotted owls and/or bald eagles. Log # 1-1503-f-0454, USFWS Roseburg Field Office, Roseburg, Oregon. 58p.

U.S. Department of the Interior, Fish and Wildlife Service and U.S. Department of Commerce, U.S. Census Bureau. 2003. 2001 National Survey of Fishing, Hunting, and Wildlife-Associated Recreation. Oregon. 46 p. plus Appendices.

U.S. Department of Commerce, Bureau of Census. 2002. Census 2000 Gateway. http://census.gov.main/www.cen2000/html

USEPA. 1981. Completion of pre-RPAR review of rotenone. June 22, 1981. Washington DC.

USEPA. 1989. Guidance for the reregistration of pesticide products containing rotenone and associated resins as the active ingredient. USEPA report 540/RS/89-039. Washington DC.

USEPA, 2002a. Region 9 Preliminary Remediation Goals (PRGs) Table. Superfund. San Francisco, CA. Oct 1, 2002.

USEPA, 2002b. 2002 Edition of the Drinking Water Standards and Health Advisories. Office of Water. Washington DC. EPA 822-R-02-038.

USEPA, 2003. Pesticide Re-registration Status, Controlling Pests with Rotenone. Office of Pesticides. www.epa.gov/oppsrrd1/REDs/factsheets /rotenone fs.pdf

U.S. Geological Survey. 1963. Complication of records of surface waters of the United States, October 1950 to September 1960 - part 14. Pacific slope basins in Oregon and lower Columbia River basin. Water-Supply Paper 1738. p262.

U.S. Geological Survey. 2003. Historical database on web site; http://nwis.waterdata.usgs.gov/or/nwis/nwisman/?site_no=14312500&agency_cd=USGS

US National Toxicology Program. 2001. Toxicology and Carcinogenesis Studies of Naphthalene (CAS no. 91-20-3) in 344/N Rats.

Verts, B.J. and L.N. Carraway. 1998. Land mammals of Oregon. Univ. of California Press, Berkley, CA. 800pp.

Viessman, W. and L. Lewis. 1996. Introduction to hydrology (4th ed). HarperCollins College Publishers, New York, New York. 760p.

Villar-Argaiz, M., J.M. Medina-Sánchez, L. Cruz-Pizarro, and P. Carrillo. 2001. Inter- and intraannual variability in the phytoplankton community of a high mountain lake: the influence of external (atmospheric) and internal (recycled) sources of phosphorus. Freshwater Biology (46):1017-1034. Vogel, A. Personal Communication. May, 2003.

Wellman, Roy E., J. M. Gordon, and R. L. Moffatt. 1993. Statistical summaries of streamflow data in Oregon: volume 2 - annual low and high flow, and instantaneous peak flow. U.S. Geological Survey. Open-File Report 93-63.

Weller, T.J. and C.J. Zabel. 2001. Characteristics of fringed myotis day roosts in Northern California. J. Wildl. Manage. 65(3):489-497.

Wetzel, R.G. 1983. Limnology, Second Edition, CBS College Publishing, New York. 767p.

Wetzel, R.G. 2001. Limnology Lake and river ecosystems. Third Edition, Academic Press Publisher, San Diego, San Francisco, New York, Boston, London, Sydney, and Tokyo. 1006 p.

Wetzel, R.G. and G.E. Likens. 1991. Limnological Analysis, Second Edition, Springer-Verlag Publisher, New York. 391pp.

Wisseman, R. 2001. Lake Creek Aquatic Insect Biomonitoring Report, October 14, 2001. A report prepared by Aquatic Biology Associates, Inc. for the Umpqua National Forest.

Wright State University. 2003. Toxic blue-green algae threatens Lake Erie. Available at WWW: http://www.wright.edu/cgibin/news_item.cgi?446.

Yoo, S.R., W.W. Carmichael, R.C. Hoehn, and S.E. Hrudy. 1995. <u>Cyanobacterial (blue-green algal) toxins: a resource guide.</u> AWWA Research Foundation and American Water Works Association. Denver, Colorado. 229p.

Zurawell R. 2000-01. Cyanobacteria: a review toward understanding. Lakeline, winter 2000-01:29-32.